

- Uncertainty
- Diagnosis
- Analytic or non analytic?
- "Illness Scripts" and Clinical Diagnosis
- Script Concordance Test
 - Principles
 - Applications and Results



Uncertainty



- Healthcare professionals must constantly make decisions in the face of uncertainty.
- Medical students are challenged by ambiguous situations & need practice in this area to become expert clinicians.

Uncertainty




Uncertainties are related to:

- Limited information
- Data subject to more than one interpretation
- New context for an illness, precepts of EBM don't apply



Diagnosis: A Categorization Task





Symptom Sign

• Allows clinicians to take action

Charlin et al. Acad. Med. 2000, 75: 182

Analytic or non-analytic?



- Non analytic reasoning Fast, unconscious, perceptual-based
- Analytic reasoning: hypothetico-deductive model
 Deliberate, reflective, slower




1


The Hypothetico-Deductive Model


- Think aloud studies
- Initial clues allow a hypothesis to be developed
- Data is collected to affirm or rule out the hypothesis; iterative process
- Both experts and novices do this, but experts take shortcuts

Elstein, Shulman & Sprafka, Medical Problem Solving, 1990



Activation of Relevant Hypotheses





- A non analytic process (usual)
- Pattern recognition*
- Memories of previous patients & experiences (spontaneous, unconscious, automatic)
- An analytic process (less usual)
- Deliberate induction of possible explanations** (logical, conscious, carefully controlled)

* Norman, Medical Education, 2007 **Mamede & Schmidt, Medical Education, 2004



Knowledge Organization

- Activated hypotheses: Physicians access networks of relevant knowledge
- Script theory:
 - How information is processed
 - Knowledge organized for specific tasks
 - Networked knowledge
 - Links between clinical features and diagnostic entities


Charlin et al. (2007) Scripts and clinical reasoning. Medical Education, 41: 1178

The Illness Script: A Fit?

EXAMPLE - sinusitis attributes: pain, rhinorrhea, fever...

- If the value is <u>ACCEPTABLE</u> → raises the Hypothesis activation level
- Level sufficiently high = Dx Decision
- If the value is UNACCEPTABLE → the Hypothesis is rejected (in this case, bloody secretions, bone destruction)

Script Theory Implications




- Multiple micro-judgments are involved in Clinical Diagnosis
- Each micro-judgment can be assessed to understand a clinician's reasoning



Towards Holistic Assessment

- Traditional MCQ Testing
- Direct observation evaluation (Simulation & OCSE; Clerkships)
- <u>ePortfolio</u>: learner reflection and self-assessment
- <u>Script Concordance Test</u> SCT Expert-referenced evaluation of a learner's clinical reasoning

What is the SCT?



- Examines steps used in clinical reasoning
- Case-based assessment
- "Real Life" scenarios allow uncertainty

Standardized

- Same stimulus for each learner
- Objective automated scoring replaces subjective judgment of skilled observers

= =

The Indiana Statewide System for Medical Education

- 9 Sites for preclinical education variability in formats (PBL, TBL, integrated, mostly "traditional 2 plus 2" curriculum, MD)
- All 320 students: Indianapolis Health Sci Ctr clerkship training (+ emerging regional sites)

SUNY Stony Brook Medical School

- State University of New York (SUNY)
 Down State, Syracuse, Stony Brook
 Stony Brook University Medical Center
- -120 students per class all in same pathway, traditional curriculum, clerkships (MD)


Florida State University College of Medicine


- Main Campus in Tallahassee
 - -One site for preclinical education (MD)
- Regional campus model for clinical years
 - -120 students each class (some Rural Track)-Community physician preceptor model


DMU College of Osteopathic Medicine


- Campus in Des Moines, 221 students/yr


 One site for preclinical training;
- Yr 2 systems curriculum (DO)
- Community physician preceptor model –60% clerkship rotations are in lowa;
 - 90% of students are trained in the Midwest
- -Rural, Global Health, & Academic Medicine
















Good Reliability With Shorter Testing Time					
Testing Time (hrs)	MCQ	SCT	Oral exam	Long case	OSCE
1	0.62	0.80	0.50	0.60	0.47
2	0.76	0.85	0.69	0.75	0.64
4	0.93		0.82	0.86	0.78
Coefficients = Cronbach alpha Brian Jolly, Monash University 2007 23					






- First account of SCT used for preclinical medical student assessment
- Similar to studies published with "less novice" medical learners (clerks/residents)
- Evidence of validity and reliability
 - Face validity with students remains high
- Costs lower than OSCE/SPAL examinations
 - Complements other assessments; doesn't replace
- Assesses learner response to clinical ambiguity







- Humbert, Besinger, and Miech, Academic Emergency Medicine 18: 627-634 (2011)

- Convergent Validity with other EM evaluations
 - Med students: r(266) = 0.28; p<0.01 with USMLE Step 2, CK Emergency Medicine section
 - Residents: r(35)=0.69; p<0.001 with in-training exam